

Motorbike 4T Synth 5W-40 Street Race

Description

Fully-synthetic motor oil of supreme quality. Lubricates and protects the engine, optimizes the power output, minimizes wear and ensures excellent cleanliness. As the official motor oil of the Moto2 and Moto3 series, it has proven itself even under extreme conditions. Transports the performance and experience from the racetrack directly to the road. Tested on engines with catalytic converters.

Properties

- tested for the use with catalytic converters
- optimum stability to aging
- high engine cleanliness
- guarantees low oil consumption
- optimum lubrication under all operating conditions
- excellent shear stability
- especially suitable for wet clutches
- excellent wear resistance

Specifications and approvals

API SN PLUS • JASO MA2

Technical data

SAE class (engine oils)	5W-40 SAE J300
Density at 15 °C	0,845 g/cm ³ DIN 51757
Viscosity at 40 °C	84 mm ² /s ASTM D 7042-04
Viscosity at 100 °C	13,8 mm ² /s ASTM D 7042-04
Viscosity at -35 °C (MRV)	≤ 60000 mPas ASTM D4684
Viscosity at -30 °C (CCS)	≤ 6600 mPas ASTM D5293
Viscosity index	170 DIN ISO 2909
HTHS at 150°C	≥ 3,5 mPas ASTM D5481
Pour point	-51 °C DIN ISO 3016
Evaporation loss (Noack)	6 % CEC-L-40-A-93
Flash point	230 °C DIN ISO 2592
Total base number	7 mg KOH/g DIN ISO 3771
Sulfate ash	0,8 g/100g DIN 51575



Technical data

Color number (ASTM)	L 2,0
	DIN ISO 2049

Areas of application

Ideal for air and water-cooled 4-stroke engines in both racing and road driving. For engines with or without a wet clutch.

Application

The specifications and instructions from the assembly or vehicle manufacturer must be followed! **Note:** Optimum effectiveness is only possible when the product is used unmixed.

Available pack sizes

1 l Canister plastic	2592
	D-BOOKLET
1 l Canister plastic	1750
	JP
4 l Canister plastic	1685
	D-BOOKLET
20 l Canister plastic	2720
	D-GB-I-E-P
20 l Canister plastic	20851
	JP
60 l Drum sheet metal	2593
	D-GB
205 l Drum sheet metal	2594
	D-GB

Our information is based on thorough research and may be considered reliable, although not legally binding.