
Product information

Pro-Line Diesel Filter Additive





Description

Cleans the fuel system and injectors in high concentrations. Makes the engine easier to start and quieter to run. Protects the entire fuel system against corrosion and improves the lubrication properties of the fuel. For improved fuel atomization due to cleaner nozzles. This saves fuel, ensures better combustion and reduces the risk of damage.



and may be considered reliable, although not legally binding.

Properties

- cleans the fuel system
- outstanding corrosion protection
- quarantees low fuel consumption
- eliminates diesel knocking
- guarantees optimum combustion
- reduces deposits
- boosts the cetane number

Technical data

Base additives dissolved in

carrier fluid

Density at 15 °C 0,82 g/cm³

Color / appearance yellowish, clear

Flash point 63 °C Regulation on Flammable A III

Liquids Class (Germany)

Pour point -35 °C

Odor characteristic

Form liquid
Viscosity at 40 °C <7 mm²/s

Areas of application

Suitable for all diesel engines. Use when changing the diesel fuel filter. Quantity to use: 500 ml

Application

When changing the diesel fuel filter add to the filter housing intended for this purpose so that the filter is filled with the additive, the engine can start immediately and bubbles are avoided in the fuel system. Add residual amount of the additive to the tank. By using the additive, contact with potentially carcinogenic diesel fuel can be prevented.

Available pack sizes

500 ml Can sheet metal 20458

D-PL-BG

500 ml Can sheet metal 20790

D-GB-I-E-P

Our information is based on thorough research

Phone: +49 (0)731/1420-0 Fax: +49 (0)731/1420-82 e-mail: info@liqui-moly.de