Product information

Marine Gasoline Stabilizer Shooter



PI 3/09/21/2023

Description

Provides long-term protection against fuel aging and oxidation. Protects fuel system from corrosion and prevents problems during long term storage. When added to gasoline it uses its organic content to stabilize the fuel.

Properties

- protects fuel against oxidation and aging
- cost-effective due to exact dosage
- has a lasting effect
- simple to use

Technical data

Base additive mixture in

carrier liquid

Color / appearance blue

Odor characteristic

Form liquid
Density at 59 °F 0,822 g/cm³

Hazard class as per German A III

VbF

Flash point >61 °F Viscosity at 104 °F <7 mm²/s

Areas of application

Suitable for all 2- stroke and 4-stroke engines. Safe with catalytic converters.

Comment

▲ WARNING: Cancer- www.P65Warnings.ca.gov

Application

Contents (200 ml) is sufficient for 50–70 Liters (13 gal. to 18 gal.) fuel. Add to fuel and let the engine idle for approx. 10 minutes.

Available pack sizes

200 ml Can sheet metal 25100 USA-EN

Our information is based on thorough research and may be considered reliable, although not legally binding.



Phone: +49 (0)731/1420-0 Fax: +49 (0)731/1420-82 e-mail: info@liqui-moly.de