# **Product information**

## Cleaner and Thinner

### PI 26/06/14/2023



#### **Description**

Solvent-based product for all degreasing and cleaning work. Especially recommended if solvents which may be physiologically harmful must not be used for safety reasons.

#### **Properties**

- does not attack plastics, paints and metals
- suitable for any type of degreasing work
- for cleaning heavily contaminated parts
- excellent solvent properties

#### Technical data

Boiling point  $80 - 110 \,^{\circ}\text{C}$  Vapor pressure at  $30 \,^{\circ}\text{C}$   $\sim 6.7 \,^{\circ}\text{KPa}$ 

Odor characteristisch
Base Hydrocarbons
Color/appearance colourless
Form liquid

Density at 20 °C ~ 0,714 g/cm³

Flash point -20 °C

ISo 1523 (Rapid Equilibrium, closed

cup RECC)

Shelf life in original sealed

container

60 months

Recommended storage

temperature

-10 - +30 °C

### Areas of application

Suitable for universal use. Preferably as a cleaning agent for surfaces which will be treated afterwards.

#### **Application**

Can be applied using washing, immersion, spraying and flooding methods. For best results, spray larger parts and machines or wet them with a wide brush, rag or something similar and scrub them in the case of heavy contamination.

Refer to the safety data sheet for work notes!

#### Available pack sizes

1 l Can sheet metal 6130

D-GB-F-I-E-NL-P

Our information is based on thorough research and may be considered reliable, although not legally binding.



Phone: +49 (0)731/1420-0 Fax: +49 (0)731/1420-82 e-mail: info@liqui-moly.de