

## Special Tec AA 0W-16



### Description

Premium class low-friction motor oil. Provides outstanding protection against wear, lowers oil and fuel consumption, keeps the engine clean and ensures fast oil penetration.

### Properties

- optimum oil pressure under all operating conditions
- high shear stability
- instant lubrication after cold start
- long engine service life
- smooth engine running
- excellent wear resistance
- outstanding engine cleanliness
- optimum stability to aging
- excellent high and low temperature behavior
- high lubrication reliability
- tested for turbochargers and catalytic converters
- saves fuel and reduces pollutant emissions

### Specifications and approvals

API SP • ILSAC GF-6B

**LIQUI MOLY also recommends this product for vehicles or assemblies for which the following specifications or original part numbers are required**

Honda • Lexus • Suzuki • Toyota

### Technical data

SAE class (engine oils)	0W-16 SAE J 300
Density at 15 °C	0,845 g/cm <sup>3</sup> DIN 51757
Viscosity at 40 °C	38 mm <sup>2</sup> /s ASTM D 7042-04
Viscosity at 100 °C	7,2 mm <sup>2</sup> /s ASTM D 7042-04
Viscosity at -40 °C (MRV)	< 60000 mPas ASTM D 4684
Viscosity at -35 °C (CCS)	≤ 6200 mPas ASTM D 5293
Viscosity index	155 DIN ISO 2909
HTHS at 150°C	≥ 2,3 mPas ASTM D 5481
Pour point	-45 °C DIN ISO 3016
Evaporation loss (Noack)	12,5 % CEC-L-40-A-93
Flash point	224 °C DIN ISO 2592

### Technical data

Total base number	8,3 mg KOH/g DIN ISO 3771
Sulfate ash	0,9 g/100g DIN 51575
Color number (ASTM)	L 2,5 DIN ISO 2049

### Areas of application

Ideal for modern Asian and American gasoline engines. Especially where there are long intervals between oil changes and high requirements on the engine.

### Application

The specifications and instructions from the assembly or vehicle manufacturer must be followed. Optimum effectiveness is only possible when the product is used unmixed.

### Available pack sizes

1 l Canister plastic	21326 BOOKLET
4 l Canister plastic	21327 BOOKLET
5 l Canister plastic	21328 BOOKLET
20 l Canister plastic	21324 D-GB-I-F-E-P-DK-FIN-N-S
60 l Drum sheet metal	21325 D-GB
205 l Drum sheet metal	21589 D-GB

**Our information is based on thorough research and may be considered reliable, although not legally binding.**