

Battery Clamp Grease Spray

Description

Special grease which is compatible with plastics for the maintenance and care of vehicle electronic systems, particularly the battery terminals and electrical connectors. Ensures reliable starting and a longer battery life. Offers high corrosion protection and prevents leakage currents. Prevents the contact resistance from increasing during operation and ensures lower loss than with untreated contacts.



Properties

- good corrosion protection
- compatible with plastics
- prevents the contact resistance from increasing during operation and ensures lower loss than with untreated contacts
- prevents leakage currents
- good electronic properties

and may be considered reliable, although not legally binding.

Technical data

Thickener	Calciumseife
NLGI number	2 DIN 51818
Color / appearance	red
Form	aerosol, liquid
Dropping point for the solids	100 °C DIN ISO 2176
Worked penetration	265-295 DIN 51804
Operating temperature range	-30 to +60 °C
Emcor corrosion class	0/0 DIN 51802
Odor	characteristic

Areas of application

Used especially for battery terminals and connections in vehicle electronic systems.

Comment

After spraying on, allow a flash-off period of 10 min. before connecting the component to a power supply.

Application

Gently shake spray can before use. Clean contaminated components and treat the surface after joining the contacts.

Available pack sizes

300 ml Can aerosol 3141
DE-EN-ES-IT-PT

Our information is based on thorough research