

## Silicone & Wax Remover

### Description

Specially developed for the removal of silicones and waxes from glass, paintwork and chromium parts. Cleans car panes and removes wax drops after the car wash wax-wash. Provides the optimum base for paint and gives clear visibility after car washing.

### Properties

- assures a clear view and safety
- simple to use
- removes wax and silicone residues
- streak-free vision

### Technical data

Density	0,99 g/cm <sup>3</sup> DIN 51757
Base	Poliermittel
Solubility	teilweise löslich in H <sub>2</sub> O
Flash point	>65 °C DIN ISO 2592
pH value	8,2 (20°C) DIN 19268
Color / appearance	white
Viscosity at 40 °C	> 20,5 mm <sup>2</sup> /s
Form	liquid
Odor	characteristic
Density at 20 °C	1,03 g/cm <sup>3</sup> DIN 51757
Shelf life in original sealed container	30 Monate

### Areas of application

Used especially for preparing the substrate for paint and for removing silicone and wax residues after car washing.

### Application

Shake vigorously before use. Next, pour onto a soft cloth or rag and apply thinly and uniformly under light pressure. Allow product to dry and then remove with a clean, dry cloth or polishing wad.

### Available pack sizes

250 ml Bottle plastic 1555  
D-GB-I-E-P

**Our information is based on thorough research and may be considered reliable, although not legally binding.**

