

# Description

A combination of selected acetone-free solvents for the rapid, efficient cleaning and degreasing of components in motor vehicles and industrial applications. The low surface tension of this product gives it excellent penetration properties, enabling it to dissolve oil, grease, resin and tar residues and contaminants easily, even in hidden areas. After the solvent has evaporated, the surface is left free of grease and residues.

### **Properties**

- optimum penetration capacity
- dissolves resin and tar-type residues
- controlled evaporation free of residues
- high proportion of active components
- leaves no residues
- low surface tension
- universal application
- absolutely free of chlorine
- optimizes economical use
- removes oil and grease-based contaminants
- contains no acetone

# **Technical data**

Color / appearance	colourless
Flash point	< 21 °C
Base	solvent-mixture, acetone-free
Form	liquid, aerosol
Propellant	C02
Shelf life in original sealed container	30 months

# **Areas of application**

#### Automotive area:

**Brakes:** Drum and disc brakes, linings, shoes, cylinders, springs and pads.

**Clutch:** Clutch linings, pressure plates and clutch components in general.

**Transmission:** Automatic gearshifts, planet carriers, oil pump, brake bands, clutches, gearwheels. **Assembly and repair:** Carburetor, gasoline pump, engine parts, electrical systems such as controllers, alternators and starters. Removes oil and grease spots from floor coverings, materials and linings.

**Industrial areas:** For removing stubborn contaminants such as oil, grease, silicone residue, permanent markers, abraded rubber and wax. Ideal on sensitive surfaces and materials such as stainless



steel, copper and aluminum alloys.

### Comment

As this is an industrial product, it may contain traces of denatured alcohol such as isopropanol/ethanol.

# Application

Spray contaminated components and allow to drain. After the solvent has evaporated, the components will be clean and free from grease.

Product may attack paints and plastic components. Check for compatibility before using.

# Available pack sizes

500 ml Can aerosol	1816 D-NL-F-GR-ARAB
500 ml Can aerosol	20880 JP
500 ml Can aerosol	2695 D-PL-H-RO-TR
500 ml Can aerosol	2868 GB-DK-FIN-N-S
500 ml Can aerosol	3318 D-GB-I-E-P
500 ml Can aerosol	9525 D-GB-F-ARAB
500 ml Can aerosol	21418 D-GB-CN

#### Our information is based on thorough research and may be considered reliable, although not legally binding.