

Brake Anti-Squeal Paste

Description

A synthetic based specialty with a solid agent to prevent and eliminate noise from brake pads. It is extremely adhesive and high temperature resistant, it resists road salt and water wash-out. With excellent corrosion protection and particularly suited for use with aluminum and magnesium materials as well as on vehicles with ABS/ESP systems.

Properties

- good corrosion protection
- easy to use
- eliminates squeaks
- resistant to road salt and splash water
- extremely low friction
- outstanding thermal stability
- outstandingly adherent
- ideally suited as a separating paste

Technical data

Form	pastelike, liquid
Color / appearance	blue
Base	synthetische u. keramische Wirkstoffe
Operating temperature range	-40 to +392 short term +482 °F als Schmierpaste / as lubricating agent
missing translation	-40 to +2192 °F als Trennpaste / as release agent
Flash point	>210 °F
Odor	slightly
Shelf life in original sealed container	24 Monate

Areas of application

Suitable for use in most common disk brake systems. Must never be applied to the friction surface of the brake disc / brake pads.

Comment

Do not under any circumstances allow Brake Anti-Squeal Paste to get onto the friction surface of the brake lining or the brake disc.

part no. 20240:  **WARNING: Cancer-**
www.P65Warnings.ca.gov



Application

Clean the surfaces thoroughly before use and then apply to the back of the brake pad and to the contact surfaces and fasteners. Do not apply on friction surfaces!

Available pack sizes

250 g Brush-in-cap can sheet metal	22092 USA-EN
200 ml Can aerosol	20240 USA-EN

Our information is based on thorough research and may be considered reliable, although not legally binding.