

Motorbike Gasoline Stabilizer

Description

Preserves fuel against premature aging and oxidation during long term storage. Prevents corrosion in fuel system and increases operational reliability of 2- and 4-stroke engines in motor scooters, ATVs, snowmobiles etc. during long-term storage.



Properties

- has a lasting effect
- increases operational reliability
- simple to use
- ideal with catalytic converters
- cost-effective due to exact dosage
- protects fuel against oxidation and aging

Technical data

Base	additive mixture in carrier liquid
Color / appearance	blue
Odor	characteristic
Form	liquid
Density at 59 °F	0,822 g/cm ³
Hazard class as per German VbF	A III
Flash point	>61 °F
Viscosity at 104 °F	<7 mm ² /s

Areas of application

Suitable for all 2- stroke and 4-stroke gasoline engines. Safe with catalytic converters.

Comment

⚠ WARNING: Cancer - www.P65Warnings.ca.gov

Application

Use 25 mL dosage with 5 Liters (1.3 gal.) of fuel. Add to fuel and let the engine idle for approx. 10 minutes.

Available pack sizes

250 ml Dispensing bottle plastic	20052
	USA-EN
250 ml Dispensing bottle plastic	22102
	CANADA-EN-F

Our information is based on thorough research and may be considered reliable, although not legally binding.