

## Radiator Cleaner

### Description

Removes deposits in cooling systems of all water cooled engines. It removes scale, grease, sludge and other deposits to allow restored performance and proper cooling performance.

### Properties

- disperses sludge
- does not contain acids or alkali
- removes oil and greasy residue
- chemical conversion of lime
- neutralizes acids
- neutral behavior on rubber and plastics
- compatible with antifreeze

### Technical data

Form	liquid
Color / appearance	white, light unclear
Hazard class as per German VbF	none
pH value	~8,7
Solubility in water	soluble
Odor	characteristic
Density at 68 °F	1,015 g/cm <sup>3</sup>

### Areas of application

Suitable for all cooling water systems in motor vehicles, buses and commercial vehicles.

### Comment

**⚠ WARNING: Cancer-** [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

### Application

Add contents to the cooling water. Turn the heating to maximum and let the engine run on idle for 10 - 30 minutes depending on the degree of contamination. Drain the coolant and flush the cooling system with water. Fill the cooling system according to the manufacturers instructions. Contents (300 mL) is sufficient for 4-10 Liters (1 gal. to 2.6 gal.) coolant water.

### Available pack sizes

300 ml Can sheet metal	2051
	USA-EN
300 ml Can sheet metal	20336
	CANADA-EN-F

**Our information is based on thorough research and may be considered reliable, although not legally binding.**

