

Product information

Pro-Line Radiator Cleaner

PI 23/15/12/2020



Description

A concentrate specially developed for cooling systems in general but particularly those in motor vehicles. Dissolves contaminants containing oil and lime in radiators, heating systems, lines and engines. Innovative formula containing complexing agents with active cleaning agents.

Properties

- compatible with antifreezes
- good material compatibility
- neutralizes acids
- disperses sludge
- chemical conversion of lime
- neutral behavior in contact with rubber and plastics
- does not contain acids or alkalis
- removes oil and grease-based contaminants

Technical data

Form	flüssig / liquid
Color / appearance	weiß, leicht trüb / white, light unclear
Hazard class as per German VbF	keine / none
pH value	~8,7
Solubility in water	löslich / soluble
Odor	charakteristisch / characteristic
Density at 20 °C	1,015 g/cm ³

Areas of application

Suitable for all coolant circuits in passenger cars, buses and trucks.

Application

Add contents to the coolant and start up the heater. Depending on the level of contamination, run the engine at operating temperature for 10 – 30 minutes. Drain the cleaner, thoroughly flush out the cooling system with water and fill according to the manufacturer's specifications. Contents will treat up to 50 liters of coolant.

Comment

Store free of frost.

Contains biocides as protective agents. Contains a mixture of 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1).



Available pack sizes

1 l Can sheet metal	5189 D-GB-I-E-P
1 l Can sheet metal	20455 D-PL-BG

Our information is based on thorough research and may be considered reliable, although not legally binding.