

# Product information

## Brake Anti-Squeal Paste

PI 32/22/06/2020



### Description

Extremely adhesive and high temperature resistant specialty for lubricating and separating modern brake systems of all types of motor vehicles. It is made of synthetic materials, resists road salt and splash water and prevents and eliminates squeaking noises from brakes. With excellent corrosion protection and particularly suited for the use with aluminum and magnesium materials as well as on vehicles with ABS / ESP systems.

### Properties

- good corrosion protection
- easy to use
- eliminates squeaks
- resistant to road salt and splash water
- extremely low friction
- outstanding thermal stability
- extremely adherent
- ideally suited as a separating paste

### Technical data

Form	pastös, flüssig / pastelike, liquid
Color / appearance	blau / blue
Base	synthetische u. keramische Wirkstoffe
Density	1,051 g/cm <sup>3</sup>
Operating temperature range	-40 bis 392 kurzfristig bis 482 / -40 to 392 short term 482 °F als Schmierpaste / as lubricating agent -40 - 2192 °F als Trennpaste / as release agent
Flash point	>410 °F
Odor	schwach / slightly
Shelf life in original sealed container	36 months

### Areas of application

Brake Anti-Squeal Paste has been specially developed for the assembly, repair and maintenance of brake systems. Used for basic lubrication and as a preventive measure against brake squeals. However, it is also universally suitable for numerous applications apart from brake systems.



### Application

Clean the surfaces thoroughly before use and then apply to the back of the brake pad and to the contact surfaces and fasteners. Do not apply on friction surfaces!

### Comment

Do not under any circumstances allow Brake Anti-Squeal Paste to get onto the friction surface of the brake lining or the brake disc.

**⚠ WARNING:** Cancer- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**Our information is based on thorough research and may be considered reliable, although not legally binding.**