

Top Tec ATF 1900

Description

Fully synthetic, low viscosity automatic transmission fluid, developed to meet the strict requirements of 2nd generation Mercedes-Benz 7-speed automatic transmissions (type 722.9). Improved formula for sustained transmission life and maximum transmission shift performance. The fluid is a blue color.



Properties

- reduces fuel consumption
- excellent viscosity/temperature properties
- outstanding friction characteristics
- high efficiency
- very good low-temperature properties

LIQUI MOLY also recommends this product for vehicles or assemblies for which the following specifications or original part numbers are required

MB 236.15

Technical data

Density at 59 °F	0,845 g/cm ³ DIN 51757
Viscosity at 104 °F	19 mm ² /s ASTM D 7042-04
Viscosity at 212°F	4,4 mm ² /s ASTM D 7042-04
Viscosity at -40 °F (Brookfield)	<= 10000 mPas ASTM D 2983-09
Viscosity index	148 DIN ISO 2909
Pour point	-59 °F DIN ISO 3016
Flash point	374 °F DIN ISO 2592
Color / appearance	blue to green

Areas of application

For Mercedes-Benz 7-speed automatic transmissions where an ATF fluid meeting current product specification is required or recommended.

Comment

⚠ WARNING: Cancer- www.P65Warnings.ca.gov

Application

Observe the manufacturers instructions! Optimum efficiency and product performance is only possible

when the product is used undiluted.

Available pack sizes

1 l Can plastic	20028 USA-EN
1 l Can plastic	20360 CANADA-EN-F
20 l Canister plastic	20030 USA-AND-CANADA-EN-F
1.000 l Container	22220 USA-AND-CANADA-EN-F

Our information is based on thorough research and may be considered reliable, although not legally binding.