Product information

PI 47/03/20/2024

Rapid Cleaner | Brake & Parts Cleaner (Spray)



Description

A combination of selected acetone-free solvents for the rapid, efficient cleaning and degreasing of components in motor vehicles and industrial applications. The low surface tension of this product gives it excellent penetration properties, enabling it to dissolve oil, grease, resin and tar residues and contaminants easily, even in hidden areas. After the solvent has evaporated, the surface is left free of grease and residues.



- optimum penetration capacity
- dissolves resin and tar-type residues
- controlled evaporation free of residues
- high proportion of active components
- leaves no residues
- low surface tension
- universal application
- absolutely free of chlorine
- optimizes economical use
- removes oil and grease-based contaminants
- contains no acetone

Technical data

Color / appearance colourless

Base solvent-mixture, acetone-free

Form liquid, aerosol

Propellant CO2
Shelf life in original sealed 30 months

container

Areas of application

Automotive area:

Brakes: Drum and disk brakes, linings, shoes, cylinders, springs and pads.

Clutch: Clutch linings, pressure plate and clutch

components in general.

Transmission: Automatic gear change, planet carriers, oil pump, brake bands, clutches and

gearwheels.

Assembly and repair: Carburetor, gasoline pump, engine components, electrical systems such as controllers, alternator and starter. Removes oil and grease spots from floor coverings, materials and linings.

Industrial areas: For the removal of stubborn contaminants such as oil, grease, silicone residue, permanent markers, abraded rubber and wax. Ideal on sensitive surfaces and materials such as stainless



steel, copper and aluminum alloys.

Comment

As this is an industrial product, it may contain traces of denatured alcohol such as isopropanol/ethanol.

Application

Spray contaminated components and allow to drain. After the solvent has evaporated, the components will be clean and free of grease.

Note: Product may attack paints and plastic components. Check for material compatibility before using!

Available pack sizes

500 ml Can aerosol 1816

D-NL-F-GR-ARAB

500 ml Can aerosol 2695

PL-H-R0-TR

500 ml Can aerosol 2868

GB-DK-FIN-N-S

500 ml Can aerosol 3318

D-GB-I-E-P

500 ml Can aerosol 9525

D-GB-F-ARAB

500 ml Can aerosol 20880

JΡ

500 ml Can aerosol 21418

D-GB-CN

500 ml Can aerosol 21998

ΜX

Our information is based on thorough research and may be considered reliable, although not legally binding.

LIQUI MOLY GmbH Jerg-Wieland-Str. 4 89081 Ulm-Lehr Phone: +49 (0)731/1420-0 Fax: +49 (0)731/1420-82 e-mail: info@liqui-moly.de Technical hotline: +49 (0)731/1420-871 www.liqui-moly.com